



**Americans with Disabilities Act
Transition Plan
2019**

Kansas Department of
Wildlife, Parks & Tourism
1020 S. Kansas Avenue,
Suite 200
Topeka, Kansas 66612

Table of Contents

Background: Americans with Disabilities Act (ADA) Legislation & Title II	3-4
ADA Transition Plan	5
ADA Coordinator.....	6
Public Involvement.....	7
Grievance Procedure.....	8
Grievance/Comment Form Public Accommodations	9-11
Notice under the ADA & Additional Information	12-13
Featured Inventory Explanation.....	14-16
Featured Inventory- Appendix A	17-49
Policy Statement	50

Background

Americans with Disabilities Act (ADA) Legislation

ADA was signed into law Jan. 26, 1990 and became effective Jan. 26, 1992. ADA makes discriminating against people with disabilities unlawful.

ADA comprises several sections of the United States Code compiled into five subject areas referred to as titles:

- Employment (Title I).
- Public services (Title II).
- Public accommodations and services operated by private entities (Title III).
- Telecommunications (Title IV).
- Miscellaneous (Title V).

Title II has the broadest impact on the Kansas Department of Wildlife, Parks & Tourism (KDWPT), as it specifically covers programs, services, or activities relating to areas of public services and updating existing infrastructure. Title II requires KDWPT to develop a transition plan to bring applicable facilities into compliance with ADA. This document presents the transition plan the KDWPT has developed for public access facilities within KDWPT jurisdiction.

Title II of ADA

Title II places emphasis on the accessibility of infrastructure within public access areas. In order to achieve accessibility and consistency, public agencies are required to modify their policies, practices, and procedures to avoid discrimination without altering the fundamental nature of services, programs, or activities. Facilities required to be ADA compliant include the areas of:

Physical Barriers:

- Parking areas & Ramps
- Areas of Service Paths of Entry & Travel
- Doorways
- Restrooms
- Service Counters

Programmatic Barriers:

- Building signage
- Customer communications and interaction
- Access to public telephones (where applicable)
- Emergency Notifications, alarms, and visible signals (where applicable)
- Participation opportunities for KDWPT sponsored events (where applicable)

KDWPT facilities, programs, services, policies, practices and procedures will continue to be surveyed on an on-going basis, and the Plan may be revised from time to time to account for changes to KDWPT activities. An accessibility of inventory applicable items is being updated and an approach put in place to ensure that all barriers are being addressed. This Plan has been posted to KDWPT's web site for review and consideration by the general public. Any individual may submit comments on the accessibility of KDWPT programs and facilities by contacting the Agency's ADA Coordinator, or his/her designee by phone at (785) 296-2281.

Defining ADA Compliance

Buildings will be considered ADA compliant when they meet the criteria outlined in the "U.S. Department of Justice's ADA Standards for Accessible Design" (2010)

Agencies Affected

All state and local governments are required to prepare a self-evaluation of all roadways and pedestrian facilities within their jurisdiction. In addition, all local governments with more than 50 public employees are required to develop a transition plan for all noncompliant facilities.

Because the number of employees can fluctuate from year to year, KDWPT researched to determine the average population associated with 50 city employees. The research determined, generally, cities in Kansas with more than 5,000 people had more than 50 city employees and should have their own transition plans.

Some of the pedestrian features located on KDWPT areas of access are owned and maintained by other Jurisdictions. To avoid conflicts that may arise with other jurisdictions' transition plans, KDWPT has elected to defer to those jurisdictions' transition plans in areas of joint jurisdiction rather than producing duplicate plans for those areas. KDWPT's transition plan will focus on areas without joint jurisdiction.

ADA Transition Plan

The purpose of the transition plan is to identify the steps KDWPT will take to achieve ADA compliance for applicable facilities. These steps are:

1. Identify physical obstacles limiting the accessibility of programs or activities to individuals with disabilities.
2. Identify KDWPT's ADA coordinator who will be responsible for ADA compliance.
3. Describe in detail the methods that will be used to make facilities accessible This detailed information is available upon request by contacting the KDWPT ADA Coordinator, Chad Depperschmidt
4. Develop a Schedule for achieving compliance.
5. Develop a grievance procedure to review complaints.

The first 4 steps are the minimum requirements for a transition plan as set forth by 28 CFR 35.150

The remaining steps are additional requirements for achieving ADA compliance as set forth by Title II.

In addition to the above steps, KDWPT will monitor and report on their compliance progress as necessary.

To ensure ongoing compliance with ADA requirements, KDWPT will perform periodic reviews of the plan and update as necessary. As a part of ongoing updates to the ADA Transition Plan, KDWPT will continue to allow public comment and input and provide a continuing opportunity for interested parties to participate in development of their transition plan.

ADA Coordinator

Chad Depperschmidt, KDWPT's Budget Director/Land Acquisitions is responsible for the implementation of KDWPT Transition Plan, as the ADA Coordinator and the Administrator of the ADA Program.

The contact information is:

Chad Depperschmidt
Kansas Department Wildlife, Parks & Tourism
785-296-2281
1020 S. Kansas, Suite 200
Topeka, KS 66612

The ADA Coordinator is responsible to coordinate and monitor the progress of the ADA Program; however, many throughout KDWPT contribute to the overall ADA compliance process.

Public Involvement

In approximately 1993 it was indicated KDWPT included disability advocates in development of the original plan. Such advocates included disability advocacy groups in various cities in Kansas.

Notification that changes have been made to the KDWPT ADA Transition Plan and are available for public comment will be made through social media which can include but is not limited to Facebook and Twitter. Comments can always be made by accessing KDWPT's website and submitting comments as outlined on the following pages of this ADA Transition Plan.

KDWPT will adopt and publish procedures for resolving complaints arising under ADA's Title II. The procedures are intended to set up a system for resolving complaints of disability discrimination in a prompt and fair manner. The next section provides the process and the form used to review complaints.

State of Kansas Grievance Procedure under The Americans with Disabilities Act

This Grievance Procedure is established to meet the requirements of the Americans with Disabilities Act of 1990 ("ADA"). It may be used by anyone who wishes to file a complaint alleging discrimination on the basis of disability in the provision of services, activities, or programs by the Kansas Department Wildlife, Parks, & Tourism (KDWPT).

The complaint should be in writing and contain information about the alleged discrimination such as the name, address, and phone number of complainant and location, date, and description of the problem. Alternative means of filing complaints will be made available for persons with disabilities upon request.

The complaint should be submitted by the grievant and/or his/her designee no later than 60 calendar days after the alleged violation to:

**Chad Depperschmidt
ADA Coordinator
1020 S. Kansas Ave
Suite 200
Topeka, Kansas 66612**

Within 15 calendar days after receipt of the complaint, KDWPT's ADA Coordinator or designee will meet with the complainant to discuss the complaint and the possible resolutions. Within 15 calendar days of the meeting, ADA Coordinator or designee will respond in writing, and where appropriate, in a format accessible to the complainant.

The response will explain the position of the Kansas Department of Wildlife Parks & Tourism and offer options for resolution of the complaint.

All complaints received by the ADA Coordinator will be retained by KDWPT for at least three years.

Additionally, interested persons, including individuals with disabilities or organizations representing individuals are encouraged to submit comments on KDWPT's ADA Transition Plan in writing to the ADA Coordinator utilizing the Grievance/Comment Form.



Grievance/Comment Form Public Accommodations

This form shall be used by anyone wishing to submit comments or file a grievance alleging discrimination on the basis of disability in the provision of services, activities, programs or benefits by the Kansas Department Wildlife, Parks & Tourism (KDWPT). This form should be submitted no later than **60 calendar days** after the alleged violation to:

Chad Depperschmidt, ADA Coordinator
Kansas Department of Wildlife Parks & Tourism
1020 S. Kansas Ave. Suite 200
Topeka, Kansas 66615

Alternate means of filing complaints will be made available upon request. Within 15 calendar days after receipt of the complaint the ADA Coordinator, or his designee will meet with the complainant to discuss a possible resolution. A written response will be provided to the complainant with 15 days of meeting.

PLEASE TYPE OR PRINT

Today's Date: _____

Your Name: _____

Address: _____ Apt No: _____

City: _____ State: _____ Zip: _____

Phone Number: _____ Email: _____

Please provide the following regarding your complaint:

Location of Public Accommodation where alleged violation occurred

Date: _____

What Happened?

Date: _____

What Happened?

Please list any witnesses, who can provide additional information or evidence relating to this complaint.

Name:

Address:

Phone Number: () _____ Email: _____

Name:

Address:

Phone Number: () _____ Email: _____

Name:

Address:

Phone Number: () _____ Email: _____

Additional Information:

ADA Transition Plan Comments:

Affirmation: The information provided in this form is true and accurate to the best of my knowledge.

Signature: _____



NOTICE UNDER THE AMERICANS WITH DISABILITIES ACT

In accordance with the requirements of title II of the Americans with Disabilities Act of 1990 ("ADA"), the Kansas Department of Wildlife, Parks & Tourism (KDWPT) will not discriminate against qualified individuals with disabilities on the basis of disability in its services, programs, or activities.

Employment: KDWPT does not discriminate on the basis of disability in its hiring or employment practices and complies with all regulations promulgated by the U.S. Equal Employment Opportunity Commission under title I of the ADA.

Effective Communication: KDWPT will generally, upon request, provide appropriate aids and services leading to effective communication for qualified persons with disabilities so they can participate equally in KDWPT programs, services, and activities, including qualified sign language interpreters, documents in Braille, and other ways of making information and communications accessible to people who have speech, hearing, or vision impairments.

Modifications to Policies and Procedures: KDWPT will make all reasonable modifications to policies and programs to ensure that people with disabilities have an equal opportunity to enjoy all its programs, services, and activities. For example, individuals with service animals are welcomed in KDWPT offices, even where pets are generally prohibited.

Anyone who requires an auxiliary aid or service for effective communication, or a modification of policies or procedures to participate in a program, service, or activity of KDWPT should contact the office of Chad Depperschmidt, ADA Coordinator, (785)296-2281 as soon as possible but no later than 48 hours before the scheduled event.

The ADA does not require the KDWPT to take any action that it can demonstrate would fundamentally alter the nature of its programs or services, impose an undue financial or administrative burden, or take any action that would threaten or destroy the historic significance of a historic property.

Complaints that a program, service, or activity of KDWPT is not accessible to persons with disabilities should be directed to Chad Depperschmidt, ADA Coordinator, (785)296-2281.

KDWPT will not place a surcharge on a particular individual with a disability or any group of individuals with disabilities to cover the cost of providing auxiliary aids/services or reasonable modifications of policy, such as retrieving items from locations that are open to the public but are not accessible to persons who use wheelchairs.

Featured Inventory

The next section is devoted to KDWPT's inventory of owned facilities. The general information has been collected and is listed in Appendix A. Appendix A indicates inventory item status and the intended plan of action where applicable.

Types of facilities open to the public may include the following:

- Administration Buildings
- Regional Offices
- Park, Public Land & Wildlife Offices
- Shelters & Restrooms

Building & Structure Inventory ADA Plan

The inventory of occupied buildings, and structures which are available for public services and programs is attached for the purpose of this transition plan. KDWPT manages a number of buildings and structures that are not deemed for public service or public access. For information on those facilities, please contact the KDWPT ADA coordinator. For those buildings/structures where public services are provided, we have worked for several years to make them ADA compliant.

Each facility is denoted with a rating code.

Rating Code

- 0 Site is not accessible - undue burden to achieve accessibility
- 1 Site is accessible, but structure cannot be retrofitted, needs new structure
- 2 Facility or Structure can be made compliant with extensive remodeling
- 3 Facility or Structure can be made compliant with minimal effort and cost
- 4 In full compliance or requires only minor adjustments

From 2019 forward it is the intention of KDWPT is to fully upgrade all facilities and structures listed in the plan which are not fully ADA compliant as financing allows. KDWPT has a building program underway that is modernizing public access and non- public use facilities/structures and bringing the office and shop portions of the building up to ADA standards. KDWPT has improved a number of these and, as funds allow, intend to upgrade/improve some of the facilities/structures each year, as well as those which are slated for replacement.

It is the desire of the Kansas Department of Wildlife, Parks and Tourism to continually update ADA compliance and copies of the departments non-discrimination, sample accessibility, effective communication and website accessibility checklists are available by contacting KDWPT's ADA Coordinator.

It is noted there is no "grandfather" clause in the ADA, and governments must comply with Title II of the ADA, and must provide program access for people with disabilities to the whole range of services and programs. In providing program

access city governments are not required to take any action that would result in a fundamental alteration to the nature of the service, program, or activity in question, that would result in undue financial and administrative burdens or take any action that would threaten or destroy the historic significance of a historic property.

If an action would result in such an alteration or such burdens, a government must take any other action that it can to ensure that people with disabilities receive the benefits and services of the program or activity. 28 C.F.R. § 35.150(a)(3). Those structures with no ability to be fully upgraded will be included various programs designed to assist those persons in need of services provided by the individual facility based on individual facility/structure needs.

Index A represent the most current compiled Inventory Status and indicated plan of action where applicable. Where status or plan of action is not indicated, the most recent status can be provided KDWPT's ADA Coordinator.

Appendix A

Location/Area Note: See end of Appendix A for Code Location	Facility	Structure Type	Code Status	Comments (If Applicable)
BASL	Restroom	Concrete Block	4	
BASL	Restroom	Concrete Block	4	
BBPR	Entrance Information kiosk	kiosk	4	3-panel kiosk with ADA Parking
BBSL	Boat Dock	Wood	4	
BBSL	Restroom	Concrete	4	
BIWA	No structures / facilities on the property	n/a	0	
BUSL	North Restroom	Block	3	Needs sidewalk. Is scheduled to be replaced however.
BUSL	South Restroom	Block	4	
BWWA	Office	Wood Frame	4	Needs parking signage
CASL	North End CXT restroom	ADA restroom	4	With ADA parking pad/sidewalk
CASL	East Shore CXT restroom	ADA restroom	4	With ADA parking pad/sidewalk
CASL	South Ramp CXT restroom	ADA restroom	4	With ADA parking pad/sidewalk
CASL	Shelterhouse (South Ramp)	Shelter	4	With ADA parking pad/sidewalk
CDBP	North Shower House	Concrete	4	
CDBP	Hoonii Vault Toilet	Concrete	4	
CDBP	Bluffton Fish Cleaning Station	Stick Built	4	
CDBP	Overland Shower House	Block	4	
CDBP	Cedar Bluff Area Office	Stick Built	4	
CDBP	Butterfield Shower House	Block	4	
CDBP	Bluffton Community Shelter	Stick Built	4	
CDBP	Broken Spur Community Shelter	Stick Built	4	
CDBP	Bluffton Mushroom Shelter	Concrete	4	
CDBP	Flyway Rental Cabin	Stick Built	4	
CDBP	Trapper's Lodge Rental Cabin	Stick Built	4	

CDBP	Muley Vault Toilet	Concrete	4	
CDBP	Pronghorn Shower House	Concrete	4	
CDBP	Apache Shower House	Block	4	
CDBP	Page Creek Community Shelter	Stick Built	4	
CDBP	Commanche Vault Toilet	Concrete	4	
CDBR	Stilling Basin Restroom	CXT	4	
CDBR	Cove 3 Vault Toilet	Poly and Wood	4	
CDBR	Floating, Covered Fishing Pier 38o 48' 02" N 99o 44' 03" W East shore of Cove 1-	Fishing Access Pier	4	
CHBW	Office	Mobile home	4	will have a new office in the next couple years
CHBW	Handicap accessible hunting blind	hunting blind	4	
CHBW	Restroom	Vault toilet	4	
CHBW	Restroom	Vault toilet	4	
CHDO	Office	Brick	4	
CHNR	Yoder Fishing Jetty	rock jetty	2	
CHNR	Fish cove	rock jetty and restroom	3	
CHNR	Red Bluffs	boat ramp, jetty, restroom	2	
CHNR	Deweese Park	Restroom, boat ramp	2	
CHNR	Wenzl Cove	Restroom, boat ramp, jetty	3	
CHNR	Shooting range	range, restroom	5	
CHSP	Park Office	Wood Frame	4	
CHSP	West Main Boat Ramp Restroom	Concrete	4	
CHSP	Life Jacket Loaner Station	Metal	4	
CHSP	Harding Hill Showerhouse	Concrete	4	
CHSP	Beachhouse	Concrete	4	
CHSP	Giefer Creek Toadstool (4)	Concrete	2	
CHSP	Giefer Creek Toadstool (1)	Concrete	4	
CHSP	Giefer Creek Shower house	Concrete	4	
CHSP	West Cabin Shelter	Wood	2	
CHSP	West Cabins - #2-7	Wood	2	
CHSP	West Cabins #1,8, and 9	Wood	4	
CHSP	West Toadstool Loop Restroom	Concrete	4	

CHSP	West Toadstool Loop - 7 Toadstools	Concrete	2	
CHSP	Fishing Pier	Concrete / Metal	4	
CHSP	Church Shelter	Brick	4	
CHSP	West Self Pay	Wood	4	
CHSP	Spring Creek Playground	Playground	4	
CHSP	Smarsh Shower house	Concrete	4	
CHSP	Smarsh Shelter	Concrete	4	
CHSP	Hobie Beach Toadstool	Concrete	4	
CHSP	Hobie Beach Shower house	Concrete	4	
CHSP	Lakeshore Pit Toilet	Concrete	4	
CHSP	NSA Shelter	Concrete	4	
CHSP	NSA Pit Toilet	Concrete	4	
CHSP	NSA Shower house	Concrete	4	
CHSP	East Main Self Pay	Wood	4	
CHSP	East Toadstool Loop - 5 Toadstools	Concrete	2	
CHSP	East Toadstool Loop - 2 Toadstools	Concrete	4	
CHSP	Marina	Concrete / Metal	4	
CHSP	Marina Shelter	Concrete	4	
CHSP	Marina Fish Cleaning Station	Concrete / Wood	4	
CHSP	Marina Fuel Dock	Metal / Wood	4	
CHSP	Lakeview Pit Toilet	Concrete	4	
CHSP	Lakeview Shower house	Concrete	4	
CHSP	Lakeview - 2 Toadstools	Concrete	2	
CHSP	Lakeview - 1 Toadstool	Concrete	4	
CHSP	East Cabins	Wood	4	
CHSP	Heimerman Shower house	Concrete	4	
CHSP	M&M Shower house	Concrete	4	
CHSP	M&M Pit Toilet	Concrete	4	
CHSP	Wichita Point Shower house	Concrete	4	
CHSP	Wichita Point Pit Toilet	Concrete	4	
CHSP	Wichita Point - 2 Toadstools	Concrete	3	

CHSP	Mr. D's Self Pay	Wood	4	
CHSP	Mr. D's Pit Toilet	Concrete	4	
CLSL	Bottom Pit Toilet	Concrete	4	
CLSL	Top Pit Toilet	Block	1	
CLTP	Park Office	Metal	4	
CLTP	Shower house #1 Campground 1	CXT	4	
CLTP	Shower house #2 Campground 1	CXT	4	
CLTP	Bathroom #1 Campground 1	Wood	4	
CLTP	Chicken Creek Cabin	Building	4	
CLTP	Camp Creek Cabin	Wood	4	
CLTP	Coon Creek Cabin	Wood	4	
CLTP	Deer Creek Cabin	Wood	4	
CLTP	Elk Creek Cabin	Wood	4	
CLTP	Washington Creek Cabin	Wood	4	
CLTP	Wakarusa River Cabin	Wood	4	
CLTP	Shower house #3 Campground 3	Block	4	
CLTP	Shower house 4 Campground 3	Block	4	
CLTP	Bathroom 2 Campground 3	Block	4	
CLTP	Bathroom 3 Campground 3	Block	4	
CLTP	Boat Ramp #1 Pit Toilet	CXT	4	
CLTP	Boat Ramp #2 Pit Toilet	CXT	4	
CLTP	Boat Ramp #3N Pit Toilet	CXT	4	
CLTP	Boat Ramp #3S Pit Toilet	CXT	4	
CLTP	Bathroom #4 Day Use	Wood	4	
CLTP	Bathroom #5 Day Use	Wood	4	
CLTP	Shelter #1	Wood	4	
CLTP	Shelter #2	Wood	4	
CLTP	Shelter #3	Wood	4	
CLTP	Shelter #4	Wood	4	
CLTP	Shelter #5	Wood	4	
CLTP	Shelter #6	Wood	4	

CLTP	Beach Bathroom	CXT	4	
CLTP	Beach Shelter	Concrete	4	
CLTP	Offices for staff, meetings, and info.	Office	4	Converted shop bays to offices and meeting room/kitchen
CRSP	Beach Shower Building	Stand Alone	4	Building built in 2000 and compliant
CRSP	Beach Shelter House	Stand Alone	4	Built in 1958 and has compliant walkways and turning space
CRSP	Park Office	Stand Alone	1	Public entrance is compliant, but the rest of the building is not.
CRSP	Gatehouse	Stand Alone	1	This facility is not accessible
CRSP	Marina Restaurant	Stand Alone	4	Has ADA restroom and entrance
CRSP	East Bathhouse	Stand Alone	4	Built in 1999 and is compliant
CRSP	South Bathhouse	Stand Alone	4	Built in 2003 and is compliant
CRSP	Trails End Cabin	Stand Alone	4	Built to hotel standards and compliant
CRSP	Shady Rest Cabin	Stand Alone	4	Built to residential standards
CRSP	The Landing Cabin	Stand Alone	4	Built to hotel standards and compliant
CRSP	Morning Glory Cabin	Stand Alone	4	Built to hotel standards and compliant
CRSP	Northwind Cabin	Stand Alone	4	Built to hotel standards and compliant
CRSP	Boat Ramp restroom	Stand Alone	4	Compliant
CSSL	Restroom	CXT	4	
CSSL	Shelter	Block w concrete floor	3	Needs concrete sidewalk
CTSP	Office	Concrete Block	4	
CTSP	Holiday Hill Shower house	Concrete Block	4	
CTSP	Blackjack Campgrounds Shower	Concrete Block	4	
CTSP	Blackjack CXT Vault	Concrete	4	
CTSP	Vault Toilets W. Spillway	Wood	0	Needs replaced
CTSP	Vault Toilets Woodson Cove	Wood	0	Needs replaced
CTSP	Mann's Cove Vault Toilet	Concrete	4	
CTSP	Mann's Cove Self Pay	Metal	0	Gravel roadway
CTSP	Office Self Pay	Metal	4	
CTSP	Toronto Point Self Pay	Metal	4	
CTSP	TP Sandstone Shower house	Wood/Block	4	
CTSP	TP Beach Shower house	Block	4	

CTSP	TP East Shower house	Block	4	
CTSP	Sandstone Playground	Rubber pour in place	2	Rubber needs replaced, bad shape
CTSP	Osage Plains Playground	Rubber pour in place	4	
CTSP	TP Amphitheater	Outdoor/rock	0	Walkway is large sandstone rocks
CTSP	TP Laundry/Convenience Center	Wood Frame	4	
CTSP	TP Eagle's Nest Cabin	Wood Frame	2	
CTSP	TP Whispering Oaks Cabin	Wood Frame	2	
CTSP	TP Sandstone Bluff Cabin	Wood Frame	2	
CTSP	TP Timber Walker Cabin	Wood Frame	4	
CTSP	TP Group Camp CXT Vault Toilet	Concrete	4	
CTSP	TP Chautauqua Hills Vault Toilet	Concrete	4	
CTSP	Group Camp Shelter	Wood	4	
CTSP	Sandstone Group Camp Shelter	Metal	3	No sidewalk to shelter
CTSP	Overlook Shelter	Concrete/Metal	4	
CTSP	East Spillway Vault Toilets			Destroyed during 2019 Flooding, need replaced, were wood structures.
DCDO	Office	office building	4	fully compliance on need new ADA parking area. Working on parking contract
DGSL	3 single and 1 double concrete vault bathroom	CXT Bathroom	4	4 CXT public restrooms with concrete walkways and parking pads
EKCR	OFFICE	Brick/cinder block	3	concrete approach has no ramp from parking lot
ELDP	CAMPGROUND GATEHOUSE	GATEHOUSE ENT/SHADYCREEK MARIN	4	
ELDP	WALNUT RIVER LOOP 4	AMPHITHEATER: WALNUT RIVER L#4	4	
ELDP	BLUESTEM BEACH PARKI	NEW BEACH HOUSE-#A-8531/BLUEST	4	
ELDP	SHADY CREEK AREA/VET	99 NEW SHADY CREEK SHOWER BUIL	4	
ELDP	BLUESTEM POINT SHOP	00 METAL POLE BUILDG-BLUESTEM	4	
ELDP	BOULDER BLUFF SOUTH	02 NEW 20X45 RCP PICNIC SHELTE	4	
ELDP	EAST SIDE GROUP CAMP	02 20X45 RCP PICNIC SHELTER	4	
ELDP	BLUESTEM POINT SHELTE	02 NEW 20X45 RCP PICNIC SHELTE	4	
ELDP	BLUESTEM BEACH SHELTE	02 NEW 20X45 RCP PICNIC SHELTE	4	
ELDP	ELDP G07 PK960 LW1 9	CXT DOUBLE VAULT TOILET@EASTSI	4	
ELDP	ELDP G17 MB930 G38 7	NEW 05 CXT VAULT TOILET-@SHADY	4	

ELDP	ELDP G17 MB930 F38 6	05 DOUBLE VAULT TOILET@BOULDER	4	
ELDP	BLUESTEM POINT CAMPG	NEW WOOD FRAMED 12X14 BLDG/INF	4	
ELDP	SHADY CK MARINA BT R	07 CXT TIOGA VAULT TOILET	4	
ELDP	WALNUT RIVER	07 AMADOR VAULT TOILET BLDG.	4	
ELDP	ELDP G01 PK960 NEL 7	NEW MAINTENANCE BUILDING: WALNU	4	
ELDP	ELDP G07 MB930 F38 7	08 CXT VAULT TOILET@BOULDER BL	4	
ELDP	BLUESTEM POINT CAMPG	#1 SINGLE ROOM CAMPING CABIN-Y	4	
ELDP	BLUESTEM POINT CAMPG	#2 SINGLE ROOM CAMPING CABIN-C	4	
ELDP	BLUESTEM POINT CAMPF	#3 SINGLE ROOM CAMPING CABIN-D	4	
ELDP	BLUESTEM POINT CAMPG	#4 SINGLE ROOM CAMPING CABIN-G	4	
ELDP	BLUESTEM POINT CAMPG	#5 SINGLE ROOM CAMPING CABIN-L	4	
ELDP	BLUESTEM POINT CAMPG	CABIN: DELUXE-PRIMROSE (FORMER	4	
ELDP	BLUESTEM POINT CAMPG	#2 DELUXE CABIN-VERBENA (PRAIR	4	
ELDP	WALNUT RIVER CG	CABIN: WALNUT RIVER BLAZING STR	4	
ELDP	WALNUT RIVER CAMPGR	CABIN: WILD INDIGO (FORMER #9)	4	
ELDP	WALNUT RIVER CAMPGRO	CABIN: SPIDERWORT (FORMER INDIA	4	
ELDP	SHADY CREEK AREA 6	CXT CHASE VAULT TOILET@SHADY	4	
ELDP	MAINTENANCE COMPOUND	SUTHERLAND LUMBER POLE SHED	4	
ELDP	PICNIC SHELTER 2738/CORP-BUILD	PICNIC SHELTER 2738/CORP-BUILD	4	
ELDP	PICNIC SHELTER 2738/CORP	PICNIC SHELTER 2738/CORP	4	
ELDP	PICNIC SHELTER 2738/CORP-BUILD	PICNIC SHELTER 2738/CORP-BUILD	4	
ELDP	PICNIC SHELTER 2738/CORP	PICNIC SHELTER 2738/CORP	4	
ELDP	PICNIC SHELTER 2738/CORP	PICNIC SHELTER 2738/CORP	4	
ELDP	PICNIC SHELTER 2738/CORP	PICNIC SHELTER 2738/CORP	4	
ELDP	PICNIC SHELTER 2738/CORP	PICNIC SHELTER 2738/CORP	4	
ELDP	PICNIC SHELTER 2738/CORP	PICNIC SHELTER 2738/CORP	4	
ELDP	TOILET BUILDING 4 HB3089	TOILET BUILDING 4 HB3089	4	
ELDP	WATERBORNE TOILET #1	WATERBORNE TOILET #1	4	
ELDP	WATERBORNE TOILET #3	WATERBORNE TOILET #3	4	
ELDP	WATERBORNE TOILET #1	WATERBORNE TOILET #1	4	
ELDP	VAULT TOILET BUILDING #2	VAULT TOILET BUILDING #2	4	
ELDP	VAULT TOILET BUILDING #3	VAULT TOILET BUILDING #3	4	
ELDP	VAULT TOILET BUILDING #2	VAULT TOILET BUILDING #2	4	
ELDP	VAULT TOILET BUILDING #9	VAULT TOILET BUILDING #9	4	
ELDP	VAULT TOILET BUILDING #5	VAULT TOILET BUILDING #5	4	
ELDP	VAULT TOILET BUILDING #6	VAULT TOILET BUILDING #6	4	

ELDP	BLUESTEM POINT/BUILD	SHOWERHOUSE/TOILET-BUILDING#1-	4	
ELDP	BLUESTEM POINT-BUILD	SHOWERHOUSE/TOILET BLDG.#2/BLU	4	
ELDP	BLUESTEM POINT-#3	SHOWERHOUSE/TOILET BLDG/#3/BLU	4	
ELDP	BLUESTEM POINT BUILD	SHOWERHOUSE/TOILET BLDG#4/BLEUE	4	
ELDP	BLUESTEM POINT #5	SHOWERHOUSE/TOILET BLDG#5/BLEUE	4	
ELDP	BLUESTEM POINT BUILD	SHOWERHOUSE/TOILET BLDG#7E/BLU	4	
ELDP	BLUESTEM POINT BUILD	SHOWERHOUSE/TOILET BLDG#7W/BLU	4	
ELDP	FEE COLLECTION STATION/BLDG.	FEE COLLECTION STATION/BLDG.	4	
ELDP	WATERBORNE TOILET 4 BUILDING	WATERBORNE TOILET 4 BUILDING	4	
ELDP	ELDORADO STATE PARK OFFICE BLD	ELDORADO STATE PARK OFFICE BLD	4	
ELDP	FEE STATION BUILDING	FEE STATION BUILDING	4	
ELDP	WATERBORNE TOILET BUILDING	WATERBORNE TOILET BUILDING	4	
ELDP	WATERBORNE TOILET BUILDING	WATERBORNE TOILET BUILDING	4	
ELDP	WTRBRN TOILET II CMPGRD3	WTRBRN TOILET II CMPGRD3	4	
ELDP	BOULDER BLUFF	VAULT TOILET @ BOULDER BLUFF	4	
ELDP	WALNUT RIVER-AREA 1	SHOWER-TOILET BLDG-WALNUTRIVER	4	
ELDP	SHOWER TOILET BUILDING	SHOWER TOILET BUILDING	4	
ELDP	SM SHWR/TOILET-CAMPGRD 2	SM SHWR/TOILET-CAMPGRD 2	4	
ELDP	BATH HOUSE/SHELTER	BATHHOUSE/SHELTERHOUSE-ELDP	4	
ELDP	LG GROUP PICNIC SHELTER BLDG.	LG GROUP PICNIC SHELTER BLDG.	4	
ELDP	LG GROUP PICNIC SHELTER BUILDI	LG GROUP PICNIC SHELTER BUILDI	4	
ELDP	LG GROUP PICNIC SHELTER BUILDG	LG GROUP PICNIC SHELTER BUILDG	4	
ELDP	LG GROUP PICNIC SHELTER BUILDI	LG GROUP PICNIC SHELTER BUILDI	4	
ELDP	SM GROUP PICNIC SHELTER BUILDG	SM GROUP PICNIC SHELTER BUILDG	4	
ELDP	SM GROUP PICNIC SHELTER BUILDI	SM GROUP PICNIC SHELTER BUILDI	4	
ELDP	SM GROUP PICNIC SHELTER BUILDI	SM GROUP PICNIC SHELTER BUILDI	4	
ELDP	8030W431007718	RHEEM AIR COND UNIT: WEST SHOP	4	
ELDP	1101595349/GOODMAN	GOODMAN AC/HEAT UNIT CABIN #9	4	
ELDP	CXT BLUESTEM BOAT RA	NEW CXT @BLUESTEM BOAT RAMP #1	4	
ELDP	BLUESTEM BOAT RAMP#2	CXT @BLUESTEM BOAT RAMP #2	4	
ELDP	ABEZ06130/AIR COND	FRIEDRICH WINDOW AC/NE OFFICE	4	
ELDP	KS CORR INDUSTRIES	2012 SELF PAY STATION: 85"UPRI	4	
ELDP	T3682	13 CXT TIOGA VAULT TOILET	4	
ELDP	T3683	2013 CXT TIOGA VAULT TOILET #2	4	
ELDP	2495976/1124110462AA	DELLEN E SHOP GARAGE DOOR/OPE	4	

ELDP	ARCH RANGE/TETER TRL	15 CXT GUNNISON VAULT TOILET	4	
ERSO	Emporia Research and Survey Office	steel stucco sheetrock office	4	
FARH	Farlington Fish Hatchery	Office/Maint. Shop	0	Office needs to be replaced.
FARH	Farlington Fish Hatchery	Fish House	2	This rating code applies to the walk-in doors. Structure is fully accessible using the garage doors with electronic opener.
FARH	Farlington Fish Hatchery	Open Equipment Shed	3	Not for Public Access structure needs hard surface leading to the open building to be accessible.
FARH	Farlington Fish Hatchery	Feed Building	2	Not for Public Access Accessibility is only through manually opened garage doors.
FARH	Farlington Fish Hatchery	Equipment Bldg.	2	Not for Public Access This structure needs hard surface leading to the building to be accessible and accessibility is only through manually opened garage doors.
FARH	Farlington Fish Hatchery	Fuel/Oil Shed	3	Not for Public access
FARH	Kansas Aquatic Biodiversity Center	KABC Building	4	Newest building. It was required to be ADA compliant.
FEDA	No structures / facilities on the property	n/a	0	
FHSP	NO STRUCTURES- Constructed Trail ADA COMPLIANT		4	
FLRP	Quarry Bay Shower house	Block	4	
FLRP	Quarry Bay CXT Vault Toilet	Concrete	4	
FLRP	Quarry Bay Playground	Rubber pour in place	4	
FLRP	FB Heron's Cove Cabin & Shelter	Wood	4	
FLRP	FB Willowbend Cabin & Shelter	Wood	4	
FLRP	FB Cedar Crest Cabin & Shelter	Wood	4	
FLRP	FB Gobbler's Knob Bathhouse	Block	2	Toilet accessible, but not shower
FLRP	FB Vault Toilet in Casner Creek	Block	2	Severely damaged in 2019 flooding, interior walls collapsed, needs replaced.
FLRP	FB Shower house	Block/Wood	4	
FLRP	FB Playground	Pour in place	2	Needs replaced, holes and peeling up
FLRP	FB CXT Vault Toilet South Rock Ridge	Concrete	4	
FLRP	QB Self Pay	Metal	2	Steps down to enter area, not ADA
FLRP	FB Self Pay	Wood	4	
FLRP	South Rock Ridge Self Pay	Wood	4	
FLRP	FB Gazebo	Metal	4	
FLRP	FB Wind Hill Shelter #2	Metal/Concrete	3	No sidewalk to shelter
FLRP	FB Wind Hill Shelter #3	Metal/Concrete	3	No sidewalk to shelter
FLRP	GK Shelter #2	Metal/Concrete	3	No sidewalk to shelter

FLRP	GK Shelter #3	Metal/Concrete	3	No sidewalk to shelter
FLRP	QB Shelter #1	Metal/Concrete	3	No sidewalk to shelter
FLRP	QB Shelter #2	Metal/Concrete	3	No sidewalk to shelter
FLRP	QB Shelter #3	Metal/Concrete	3	No sidewalk to shelter
FLRP	QB Shelter #4	Metal/Concrete	3	No sidewalk to shelter
FLRP	QB Shelter #5	Metal/Concrete	3	No sidewalk to shelter
FLRP	QB Shelter #6	Metal/Concrete	3	No sidewalk to shelter
FLRR	Office	Wood, A-frame	3	no concrete handicap parking pad and no handrail in bathroom
FOSL	East side CXT restroom	Restroom	3	Needs sidewalk and parking pad
FOSL	West Side CXT restroom	Restroom	3	Needs sidewalk and parking pad
GELP	Regional Office	wood	4	
GELP	Tahoe Cabin	wood	4	
GELP	Leotie Cabin	wood	4	
GELP	Visitor Center	cement blocks	4	
GELP	Hopewell Church	wood	3	Concrete from parking stall to concrete walkway needed to be full compliance to access basement
GELP	Visitor Center flush toilet	concrete	4	
GELP	Osage Vault toilet	concrete	4	
GELP	Osage flush toilet	concrete	4	
GELP	Kanza vault toilet	concrete	4	
GELP	Kanza Shower house	cement blocks	4	
GELP	Kanza playground	metal	4	
GELP	Cheyenne shower house	cement blocks	4	
GELP	Cheyenne vault toilet	concrete	4	
GELP	Kaw shower house	cement blocks	4	
GELP	Sioux vault toilet	concrete	2	Sets in primitive area, parking stall and concrete path needed to access it
GELP	Arickaree vault toilet	concrete	4	
GELP	fish cleaning station	wood	4	
GELP	Waconda Springs replica	concrete	0	Concrete parking stall and path up to the top but path not in compliance with switchbacks, handrails, or rest stops. Would be undue burden to achieve.
GELP	Osage shelter	wood	2	Would require a new parking lot and an extensive walkway to get to the shelter
GELP	Archery range	metal	3	parking stall and walkway needed
GELR	Boller Point Vault Toilet	CXT	4	
GELR	North Fork Vault Toilet	CXT	4	

GELR	Carr Creek Vault Toilet	wood	2	
GELR	Schoen's Cove Vault Toilet	wood	2	
GELR	Bluffs Vault Toilet	wood	2	
GESL	Boat Dock		4	
GESL	Restroom		4	
GTIC	Travel Information Center	Visitor Center	4	KDOT
HILP	Office	Wood Frame	4	
HILP	Shooting Range	wood/concrete	4	multiple structures (shooting lanes, pit toilet, shelters, building)
HILP	Shelter #1 and Pit toilet	wood/concrete	4	Wood framed shelter and block concrete toilet
HILP	Shelter #2	wood/concrete	4	
HILP	Marina Pit toilet	Block concrete	4	
HILP	Archery Range Shelter	wood frame	2	Would need an ADA concrete sidewalk and paved parking
HILP	Scotts Creek Shelter 1 & 2	Wood Frame	4	
HILP	Scotts Creek Pit Toilet	Block concrete	4	
HILP	Swim Beach Shower Bldg.	Block concrete	4	
HILP	Swim Beach Shelter 1 & 2	Metal/wood	4	
HILP	Shelter #3	Concrete/wood	3	Needs ADA concrete sidewalk and parking
HILP	Russell Crites Pit Toilet	Block concrete	4	
HILP	Crappie Cove Shower Bldg.	Block concrete	4	
HILP	Quail Run Pit Toilet	Wood Frame	4	
HILP	Pintail Point Shower Bldg.	Block concrete	4	
HILP	Saddle Ridge Pit toilet	Block concrete	3	Needs ADA concrete sidewalk and parking
HILP	Saddle Ridge Shower Bldg.	Block concrete	4	
HILP	Saddle Ridge Shelter	wood/concrete	3	Needs ADA concrete sidewalk and parking
HILP	Marysville Pit toilet	Block concrete	4	
HILP	Antioch pit toilet	Block concrete	3	Needs ADA concrete sidewalk and parking
HILP	Hillsdale Point Pit toilet	Block concrete	3	Needs ADA concrete sidewalk and parking
HMWA	CXT toilet		4	Currently closed awaiting repairs from vandalism
IKSP	Doud Open Air Restroom/Shower	Open Air Building	1	Concrete open-air building,
IKSP	Swim Beach Restroom/Shower	Open Air Building	2	Concrete open-air building,
IKSP	Blackjack Restroom/Shower	Huffcut building	4	
IKSP	Westpoint Restroom/Shower	CXT Building	4	
IKSP	Five Star Restroom/Shower	CXT Building	4	
IKSP	West Boat Ramp Pit Restroom	CXT Building	4	
IKSP	East Boat Ramp Pit Restroom	CXT Building	4	
IKSP	all 4 cabins	Modern Cabin	4	
IKSP	Colt	Yurt	4	

IKSP	Gallard	Yurt	2	Would need to raise deck level with the door
IKSP	IKE Shelter	Enclosed Shelter	4	
IKSP	Westpoint Shelter	Open Shelter	4	
IKSP	IKE Store	Building	3	would need to raise the floor level
IKSP	Swim Beach		2	extensive work to get people to the beach
IKSP	1,2	Concrete Shelter	4	
IKSP	3,4,5,6,7	Concrete Shelter	3	need sidewalks and grills
IKSP	Slips	Boating	4	
IKSP	Trout/Kids Pond		2	needs path to the ADA fishing dock
IKSP	Scooter, Bike/Archery, Crooked Knee	Trail	4	
JTWN	Public Rest Room	CXT Vault toilet	4	Single vault toilet at Muskrat Landing Boat Ramp
JWSL	Boat Ramp Vault Toilet	CXT	4	
JWSL	Trappers Hollow Vault Toilet	CXT	4	
JWSL	Trappers Hollow Group Shelter	wood	3	unsure if it meets current standards
JWSL	courtesy dock	floating	3	slope of approach ramp is dependent on water levels
KANP	State Park Office	wood	1	Building can be accessed but no accessible facilities inside
KANP	Buzzard Bay Fish Cleaning station	Grinder table	4	
KANP	Buzzard Bay Vault Toilet	block	3	Doors need replaced, rusted out and door closers do not function
KANP	Eagle Point Vault Toilet	block	3	Doors need replaced, rusted out and door closers do not function
KANP	Eagle Point Playground	Playground	4	New Facility
KANP	Rockin'K Vault Toilet	cxt	4	CXT Structure
KANP	Rockin'K Shower Building	block	3	Main entrance doors are difficult to open, unknown solution
KANP		block	3	Need new entrance doors to each restroom
KANP	Horsethief Vault Toilet	block	3	Gravel approach to the building is too steep, needs material, doors and closers
KANP	Wildlife Viewing Area Vault toilet	block	3	Doors need replaced, rusted out and door closers do not function
KANP	Rockwall Vault Toilet	cxt	4	CXT Structure
KANP	Rockin'K Shelter	metal/wood	3	water fountain needs repaired
KANP	Beach Shelter house	block	3	needs a curb cut for a handicap parking stall
KANP	Cottonwood Shelter	brick	2	Structure can be accessed but the floor needs a cap poured over it to cover old floor drains to make the floor level
KANP	Sandstone Restroom	cxt	4	CXT Structure

KANP	Cottonwood Shower house	cxt	3	CXT Structure, entrance doors need new closers and the Men's Restroom door and closer need replaced
KANP	Beach Shower house	block	4	Doors need adjusted
KANP	Boat Ramp Vault Toilet	block	3	Doors need replaced, rusted out and door closers do not function
KANP	Sandplum Vault Toilet	block	3	Gravel parking would make access difficult
KANP	South Shore Fish Cleaning Station	Grinder table	4	
KANP	South Shore Self Pay Station	Information/pay station	4	
KANP	East Shore Self-Pay Station	Information/pay station	4	
KANP	South Shore Life Jacket Stand	Life Jacket Stand	4	Under Construction
KANP	Rockin'K Playground	Climbing net	4	not a likely structure to be used by a disabled person
KANP	Yucca Playgrounds	playgrounds	4	
KANP	Sumac Playground	swing set	2	not an ADA swing set, no access
KANP	Beach House Playground	playground	2	no ADA equipment or access, original playground for park
KANP	Arapaho Cabin	wood	4	
KANP	Cheyenne Cabin	wood	0	Not necessary to make this ADA, 5 out of 6 are accessible
KANP	Bat Masterson Cabin	wood	4	
KANP	Bill Doolin Cabin	wood	4	
KANP	Buffalo Bill Cabin	wood	4	
KANP	Wyatt Earp Cabin	wood	4	
KBBPR	Entrance Information kiosk	kiosk	4	3-panel kiosk with ADA Parking
KCASL	North End CXT restroom	ADA restroom	4	With ADA parking pad/sidewalk
KCASL	East Shore CXT restroom	ADA restroom	4	With ADA parking pad/sidewalk
KCASL	South Ramp CXT restroom	ADA restroom	4	With ADA parking pad/sidewalk
KCASL	Shelter house (South Ramp)	Shelter	4	With ADA parking pad/sidewalk
KCASL	Bloom Cove CXT restroom	ADA restroom	4	With ADA parking pad/sidewalk
KCASL	East Entrance Information kiosk	kiosk	4	3-panel kiosk with ADA Parking
KFOSL	East side CXT restroom	Restroom	3	Needs sidewalk and parking pad
KFOSL	West Side CXT restroom	Restroom	3	Needs sidewalk and parking pad
KMESL	Artesian Well shelter house	Shelter	3	Needs sidewalk extended to parking area
KMSL	Pit Toilet	Block	4	May need parking signage
KMSL	Pit Toilet	Block	4	May need parking signage
KMSL	Pit Toilet	CXT	4	May need parking signage
KMSL	Shelter		3	Needs hardened unloading site and sidewalk as well as parking signage.

KMSL	Fishing Jetty	Rock	4	
KMSL	Fishing Jetty	Rock	3	Needs toe board on jetty
KMSL	Campsite	AB3	4	
KWEC	Multipurpose Shelter Building	Wood/concrete	4	Sidewalk to shelter; 2 ADA picnic tables in building
KWSL	Restroom	Concrete Block	4	
LCGL	Restroom - north	block	0	Likely not accessible. Mid 1990s construction. Level of retro-fit required is unknown.
LCGL	Restroom - east	block	0	Likely not accessible. Mid 1990s construction. Level of retro-fit required is unknown.
LJSP	Little Jerusalem Restroom	Huffcutt	4	
LJSP	Little Jerusalem Ramada	concrete / metal	4	
LOVP	Park Office	Building	4	
LOVP	Maintenance Shop	Building	3	
LOVP	Rosehill School House	Building	2	Historic Building
LOVP	Pioneer Fish cleaning Station	Pole Shed	1	
LOVP	Marina CXT	Building	4	
LOVP	Walleye Point Shower/Bathroom	Building	4	
LOVP	Frontier Cabin	Building	4	Rental Cabin (Rustic)
LOVP	Sunrise Cabin	Building	4	Rental Cabin (Rustic)
LOVP	Pine Ridge Cabin	Building	4	Rental Cabin (Rustic)
LOVP	Pioneer Cabin	Building	4	Rental Cabin (Rustic)
LOVP	Southwinds Cabin	Building	4	Rental Cabin (Rustic)
LOVP	Pilgrim Cabin	Building	1	Rental Cabin (Modern)
LOVP	Scout Cabin	Building	1	Rental Cabin (Modern)
LOVP	Lookout Cabin	Building	1	Rental Cabin (Modern)
LOVP	Settler Cabin	Building	1	Rental Cabin (Modern)
LOVP	Southwinds Group Shelter	Pole Shed	4	
LOVP	Southwinds Shower/Bathroom	Building	4	
LOVP	Beach Shelter	Concrete TS	4	
LOVP	Cottonwood CXT	Building	4	
LOVP	Willow Group Shelter	Building	4	
LOVP	Willow CXT	Building	4	
LOVP	Rosehill Fish Cleaning Station	Pole Shed	4	
LOVP	Twin Coves CXT	Building	4	
LOVR	Unisex vault toilet/White Rock Creek	CXT	4	
LOVR	camping pad/White Rock Creek	concrete	4	
LOVR	Unisex vault toilet/Oak Hill	Romtec	4	
LOVR	camping pad/Oak Hill	concrete	4	

LOVR	courtesy dock/Oak Hill	steel/wood	4	Needs some repair to railing and ramp after 2019 flood events
LOVR	Unisex vault toilet/Inlet Canal	Romtec	4	
LVSL	3 single, 1 double concrete vault toilet	CXT Bathroom	4	4 CXT type public restrooms with concrete sidewalks and parking pads
LVSL	2 picnic/shelter houses in camp areas	Shelter house	3	Both have concrete floors, benches, and walls on 4 sides, 2 entry/exits
LYSL	Lyon Vault Toilet	Vault Toilet	4	Paved access is ADA
MARR	Pit Toilet	Block/concrete floor	4	
MARR	Broken Bridge fishing access	Concrete	4	
MCLA	Double Restroom	Vault Toilet	4	
MDCW	HQ Building		4	Completely compliant.
MDCW	HQ Building		4	Completely compliant.
MELR	Melvern WA Office	Post & Beam Office & Shop	4	Office and bathroom are ADA as of remodel completed Early 2016. Paved access to the building is ADA.
MESL	Artesian Well shelter house	Shelter	3	Needs sidewalk extended to parking area
MESP	Office Shower House	Brick	4	
MESP	East Pit	CXT	4	
MESP	North Shower	Brick	1	being replaced
MESP	West Pit Toilet	Brick	1	No ramp, narrow stalls
MESP	Shelter 1	Concrete	2	no sidewalk
MESP	Shelter 2	Concrete	4	
MESP	Shelter3	Concrete	2	no sidewalk
MESP	Shelter 4	Concrete	2	no sidewalk
MESP	Beach Playground	Steel	4	
MGSL	RESTROOM	CONCRETE	4	PRE-FAB DESIGN
MGSL	RESTROOM	CONCRETE	4	PRE-FAB DESIGN
MGSL	DOCK	WOOD	4	PRE-FAB DESIGN
MGSL	DOCK	WOOD	4	PRE-FAB DESIGN
MILC	Milford Nature Center	wood frame	4	
MILC	Starbird Education Building	Wood Frame	4	
MILC	Milford Nature Center Shelter	Wood Frame	3	Needs ADA sidewalk
MILC	Milford Nature Center Playground	woodchip	4	
MILP	Pinto	Cabin	2	Redo decking and concrete sidewalk

MILP	Palomino	Cabin	4	
MILP	Mustang	Cabin	4	
MILP	Morgan	Cabin	4	
MILP	Appaloosa	Cabin	4	
MILP	Sumac	Cabin	4	
MILP	Crabapple	Cabin	4	
MILP	Big Oak	Cabin	3	Would need to build a ramp to cabin
MILP	Red Cedar Resort	Cabin	4	Cabin was removed during 2019 FEMA Flooding
MILP	Honey Locust	Cabin	2	Severe slope and steps leading to cabin
MILP	Group Shelter	Large Shelter	3	Add sidewalk(s) to shelter area
MILP	Lakeview Shelter	Large Shelter	3	Add some pavement markings and minimal concrete work
MILP	Woodland Hills Campground	Shelter	3	Add some pavement markings and minimal concrete work
MILP	Woodland Hills Campground	Restroom	4	
MILP	Walnut Grove Campground	Restroom	3	Shower Stall Compliance
MILP	Walnut Grove Campground	Boat Dock	2	Needs major dirt work, concrete sidewalks, and parking lot leveling
MILP	Walnut Grove Southwind Yacht Club	Shelter	3	Parking lot markings, concrete work
MILP	Marina	Fish Cleaning Station	4	Damaged during 2019 FEMA Flooding
MILP	Marina	Boat Dock	2	Needs major dirt work, concrete sidewalks, and parking lot leveling
MILP	Marina CXT	Restroom		Parking lot markings, concrete work
MILP	Milford Lake Marina	Marina	2	Dock Compliance
MILP	Cedar Point	Restroom	3	Parking lot markings, concrete work
MILP	State Park Office	Building	3	Pavement marking/signage
MILP	Information Kiosk	Shelter	4	
MILP	Self-pay station	Shelter	4	
MILP	Prairie View Campground	Restroom	4	Pavement marking/signage
MILP	South Boat Ramp	Shelters 1-10	2	Damaged during 2019 FEMA Flooding, need concrete sidewalks
MILP	South Boat Ramp	Fish Cleaning Station	4	Damage during 2019 FEMA Flooding
MILP	South Boat Ramp	Boat Dock	3	Parking lot markings, concrete work
MILP	South Boat Ramp	Sprung Hut	4	Damage during 2019 FEMA Flooding

MILP	South Boat Ramp	Designated Beach	4	Damage during 2019 FEMA Flooding
MILP	South Boat Ramp	Splashpad/Restroom	4	
MILP	South Boat Ramp	CXT Restroom	4	Pavement marking/signage
MILP	South Boat Ramp	Playground	4	Playground Equipment not in compliance
MILP	Eagle Ridge Campground	CXT Restroom	4	Pavement marking/signage
MILP	Eagle Ridge, Rusty Windmill, Woodland Hills, Hickory Hollow	Campsite pads	2	Concrete work
MISL	Double Restroom	Vault Toilet	4	
MLWA	Office- Pitt	wood/concrete	4	
MLWA	Toilet Vault- Pitt	concrete	4	
MLWA	Pavilion on unit #1- Pitt	wood/concrete	4	
MLWA	ADA fishing access- Pitt	concrete/iron rails	4	
MLWA	Office- Wmin	wood/concrete	4	
MLWA	ADA fishing access- Wmin	concrete/wood/metal		
MPSL	Floating Courtesy Dock	Floating Dock	4	Floating Courtesy Dock with concrete sidewalk installed in 1997. Has low ADA railings on dock to stop wheelchairs from rolling off dock.
MPSL	Floating Fishing Dock	Fishing Dock	4	Floating Fishing Dock with concrete sidewalk installed in 1997. Has low ADA railings for wheelchair stops and metal handrails on main platform.
MPSL	Double Vault Toilet	Vault Toilet	4	Double Vault Toilet built in 1997 on west shore. Floor built 1" too low that allows silt runoff to enter east side of toilet from road runoff during high rainfall events, which must be shoveled or washed out.
MPSL	CXT Single Vault Toilet	CXT Toilet	4	CXT Single Vault Toilet installed in 2003 on east shore. Has concrete sidewalk.
MPSL	MBA CXT Single Vault Toilet	MBA CXT Toilet	4	CXT Single Vault Toilet installed in 2018 near on west end of boat ramp parking lot. Has concrete parking pad and sidewalk.
MPSL	Wildscape Cabin/Elk Lodge	Rental Cabin	4	Cabin installed in 2010 with wood ADA ramp and concrete sidewalk.
MPWL	Office	Metal/Concrete	2	New office to be built in the near future that will be ADA compliant
MPWL	Barn	Metal/Concrete	0	Access to this building not needed
MPWL	Equipment Building	Metal/Concrete	3	Access to this building not needed

NBOL	Vault Toilet Restroom	Block and Mortar	4	
NMWA	Pit toilet at boat ramp	concrete	4	
NMWA	Shelter house	Stone/wood	4	There is a cinder block pit toilet near it that needs demolished
NMWA	Boat dock	metal	3?	it is wheelchair accessible, but I don't know if there are regs on railing
NORR	CXT Vault Toilet	Toilet	4	
NORR	CXT Vault Toilet	Toilet	4	
NOSL	Restroom	Concrete	4	
NOSL	Restroom	Concrete	4	
NOSL	Boat Dock	Wood	4	
NOSL	Floating Fishing pier	Wood	4	
NOSL	Floating Fishing pier	Wood	4	
NOSL	Shelter House	Rock/concrete	4	
NOWA	Restroom	Concrete	4	
NOWA	Office	Wood		
OGWA		Restroom	4	Vault toilets are handicap accessible with paved access
OSSL	Boat Ramp Vault Toilet	Vault Toilet	4	Paved access is ADA
OSSL	South Main Loop Vault Toilet	Vault Toilet	4	Paved access is ADA
OSSL	North Main Loop Vault Toilet	Vault Toilet	4	Paved access is ADA
OSSL	Boat/Fishing Dock	Floating Boat Dock	4	Paved access is ADA and is secured to the shore.
OTSL	west side	Block vault toilet	3	doors/door handles need updated
OTSL	west side	fishing dock	4	
OTSL	west side	cabin	4	
OTSL	Willow point	CXT vault toilet	4	
OTSL	East side	CXT vault toilet	4	
OTSL	Willow point	Courtesy dock	4	
OTSL	SW side	Courtesy dock	4	
PCWA		Restroom	4	Vault toilets are handicap accessible with gravel access, barricade rocks will need to be adjusted for access to wheelchairs
PDSP	Meadowlark Vault Toilet	Block concrete	4	

PDSP	Cottonwood Vault Toilet	Block concrete	4	
PDSP	Shady Rest Vault Toilet	Block concrete	4	
PDSP	Public Fishing Dock Vault Toilet	Block concrete	4	
PDSP	Boat Ramp Vault Toilet	Block concrete	4	
PDSP	Prairie Dog Cabin	Wood Frame	4	
PDSP	Eagle View Cabin	Wood Frame	4	
PDSP	Cedar Crest Cabin	Concrete/wood	4	
PDSP	Cottonwood Cabin	Concrete/wood	4	
PDSP	Fish Cleaning Station	Wood Frame	4	
PDSP	Shower House - Prairie Dog Campground	Block concrete	4	
PDSP	Shower House - Branded Cedar Campground	Block concrete	4	
PDSP	East Leota Vault Toilet	Block concrete	4	
PDSP	Lakeview Pavilion	Wood Frame	4	
PERP	Office	metal building	4	
PERP	Eagle Landing	Bath/shower building	4	all have handicap stalls, and designated handicap parking out front
PERP	Turkey Run	Bath/shower building	4	all have handicap stalls, and designated handicap parking out front
PERP	Lake View	Bath/shower building	4	all have handicap stalls, and designated handicap parking out front
PERP	Hobie Cove	Bath/shower building	4	all have handicap stalls, and designated handicap parking out front
PERP	Wild Horse	Bath/shower building	3	all have handicap stalls, and designated handicap parking out front
PERP	Wild Horse New Huff Cutt	Bath/shower building	4	Brand new water has not been turned on yet
PERP	Shelter 1	Concrete "Toad Stool" Shelter	2	Need sidewalks, fire rings and ADA picnic tables - designated parking
PERP	Shelter 2	Concrete "Toad Stool" Shelter	2	Need sidewalks, fire rings and ADA picnic tables - designated parking
PERP	Shelter 3	Concrete "Toad Stool" Shelter	2	Need sidewalks, fire rings and ADA picnic tables - designated parking
PERP	Shelter 4	Concrete "Toad Stool" Shelter	2	Need sidewalks, fire rings and ADA picnic tables - designated parking
PERP	Shelter 5	Concrete "Toad Stool" Shelter	2	Need sidewalks, fire rings and ADA picnic tables - designated parking
PERP	Shelter 6	Concrete "Toad Stool" Shelter	2	Need sidewalks, fire rings and ADA picnic tables - designated parking
PERP	Shelter 7	Concrete "Toad Stool" Shelter	2	Need sidewalks, fire rings and ADA picnic tables - designated parking

PERP	Shelter 8 Lake View	Shelter	2	Need sidewalks, fire rings and ADA picnic tables - designated parking
PERP	Shelter 9 cougar Pass	Metal Shelter	2	Need sidewalks, fire rings and ADA picnic tables - designated parking
PERP	Shelter 10 Wild Horse	Metal Shelter	4	Brand new not finished yet
PERP	Fish Cleaning Station	Located in Lake View	3	Currently not operational closed off
PERP	Cabin Apache	Manufactured Building	4	
PERP	Cabin Cottonwood	Manufactured Building	1-2	Interior space is very limited for adjustments to bathrooms; hallways etc. to open up doorways etc. Sidewalks and ramps will need to be made
PERP	Cabin Hazelwood	Manufactured Building	1-2	Interior space is very limited for adjustments to bathrooms; hallways etc. to open up doorways etc. Sidewalks and ramps will need to be made
PERP	Cabin Stonefield	Manufactured Building	1-2	Interior space is very limited for adjustments to bathrooms; hallways etc. to open up doorways etc. Sidewalks and ramps will need to be made
PERP	Lake View CXT	Concrete pit toilet	4	
PERP	North Boat Ramp CXT 2-seater	Concrete pit toilet	4	
PERP	North Boat Ramp CXT 1 seater	Concrete pit toilet	1	Need sidewalks
PERP	Office	metal building	3	Would have to make main entrance door ADA compliant with an automated ADA door opener. Bathroom needs ADA toilet, sink lowered and protective wrapping on sink pipes.
PERP	Eagle Landing	Bath/shower building	4	all have handicap stalls, and designated handicap parking out front, doors are not automated to open for ADA access.
PERP	Turkey Run	Bath/shower building	4	all have handicap stalls, and designated handicap parking out front, doors are not automated to open for ADA access.
PERP	Lake View	Bath/shower building	4	all have handicap stalls, and designated handicap parking out front, doors are not automated to open for ADA access.
PERP	Hobie Cove	Bath/shower building	4	all have handicap stalls, and designated handicap parking out front, doors are not automated to open for ADA access.
PERP	Wild Horse	Bath/shower building	3	all have handicap stalls, and designated handicap parking out front, doors are

				not automated to open for ADA access.
PERP	Wild Horse New Huff Cutt	Bath/shower building	4	Brand new, water has not been turned on yet, still under construction
PERP	Shelter 1	Concrete "Toad Stool" Shelter	2	Need sidewalks, ADA fire rings and ADA picnic tables -designated parking
PERP	Shelter 2	Concrete "Toad Stool" Shelter	2	Need sidewalks, ADA fire rings and ADA picnic tables -designated parking
PERP	Shelter 3	Concrete "Toad Stool" Shelter	2	Need sidewalks, ADA fire rings and ADA picnic tables -designated parking
PERP	Shelter 4	Concrete "Toad Stool" Shelter	2	Need sidewalks, ADA fire rings and ADA picnic tables -designated parking
PERP	Shelter 5	Concrete "Toad Stool" Shelter	2	Need sidewalks, ADA fire rings and ADA picnic tables -designated parking
PERP	Shelter 6	Concrete "Toad Stool" Shelter	2	Need sidewalks, ADA fire rings and ADA picnic tables -designated parking
PERP	Shelter 7	Concrete "Toad Stool" Shelter	2	Need sidewalks, ADA fire rings and ADA picnic tables -designated parking
PERP	Shelter 8 Lake View	Concrete "Toad Stool" Shelter	2	Sidewalk needs improvements (widened with proper access from parking lot. ADA fire ring, ADA picnic tables (2). ADA designated parking.
PERP	Shelter 9 cougar Pass	Wood shelter	2	Side walk needs improvements (widened and extended to road). ADA tables (2). Light switches lowered.
PERP	Shelter 10 Wild Horse	Metal Shelter	4	Brand new not finished yet
PERP	Fish Cleaning Station	Located in Lake View	3	Currently not operational closed off
PERP	Cabin Apache	Manufactured Building	4	
PERP	Cabin Cottonwood	Manufactured Building	1	Interior space is very limited for adjustments to bathrooms; hallways etc. to open up doorways etc. Loft would be inaccessible. Sidewalks and ramps will need to be made
PERP	Cabin Hazelwood	Manufactured Building	1	Interior space is very limited for adjustments to bathrooms; hallways etc. to open up doorways etc. Loft would be inaccessible. Sidewalks and ramps will need to be made
PERP	Cabin Stonefield	Manufactured Building	1	Interior space is very limited for adjustments to bathrooms; hallways etc. to open up doorways etc. Loft would be inaccessible. Sidewalks and ramps will need to be made

PERP	Lake View CXT	Concrete pit toilet	4	
PERP	North Boat Ramp CXT 2-seater	Concrete pit toilet	4	Currently, due to flooding, door handles need replacement.
PERP	North Boat Ramp 1 seater	Fiberglass Octagon ADA pit toilet.	4	Currently, due to flooding, door handles need replacement. Several of the plastic window panes were broken or knocked out.
PERP	Shelter off West Lake Road/237	Rock and Wood	2	Shelter was functioning at one time, roof needs replacement, restrooms completely redone.
PERW	Main Office w/ Restroom	Stick Building	4	
PERW	Shop w/ Office and Restroom	Metal Frame Shop	4	
POMP	Park office	wood frame	4	parking needs to change along with sidewalk
POMP	Beach restroom and shelter	concrete	4	
POMP	Beach area	public access	2	ramp to the beach not accessible
POMP	Shelter house		4	need additional parking spaces
POMP	kansa playground	wood chips	4	need additional wood chips
POMP	burning heart play ground		3	sand area under play equipment
POMP	Osage play ground	wood chips	4	needs additional wood chips
POMP	Marina building	floating	4	in compliance when at conservation level, not after 5 ft rise
POMP	Boat ramp 1 pit toilet	cxt restroom	4	
POMP	laundry	wood frame	4	
POMP	concrete shelters	concrete	4	
POMP	Kansa restroom	concrete	4	
POMP	Wauconda restroom	concrete open-air block	0	This building is to be removed in late 2020 with new structure
POMP	Cabins		4	
POMP	Heart Stays restroom	open air pit toilet block	0	this building would need to be replaced
POMP	Boat ramp 2 rest room		3	
POMP	Osage Restroom	open air restroom block	0	This building is to be removed, not sure when
POMP	Boat ramp 3 restroom	CXT pit toilet	4	
POMP	auketah restroom	CXT pit toilet	4	
POMP	Education Center and Wildlife Museum	Historical Building/Brick	4	
PRBC	Restroom	CXT	4	

PRFH	Fish House (Green Concrete building)	Concrete berm type	3	This building was added onto in 1998 and was ADA upgraded at that time. ADA single restroom, transition ramps on uneven surfaces with concrete stain and paint and an access concrete parking pad outside building with sidewalk of proper grade down into building.
PRFH	Fish Hatchery Office	Framed Home Type	2	Building is approximately 32 inches off ground level. Sidewalk to the house is 2 foot wide. No existing transition ramp from outside to inside. Single restroom is in building but entry door to it is 30 inch wide. Floor is approximately 4-foot X 5 foot. Framing of roof line above the bathroom area would require major renovation to increase floor space.
PRFH	ESSLAB & Storage Shed		0	Not for Public Access
PRFH	Shop Building		0	Not for Public Access
PRIC	Stone House	stone/concrete/wood	0	
PRIC	Stone Garage	stone/concrete/wood	4	
PRIC	Stone Chicken Coop	stone/concrete/wood	0	
PRIC	Stone Brooder House	stone/concrete/wood	0	
PRIC	Block Barn	cinderblock/concrete/wood	3	
PRIC	White House	frame/concrete	3	
PRIC	Archery Range	limestone/AB3 pack	4	
PRIC	CXT - Archery Range	composite concrete	4	
PRIC	CXT - east side	composite concrete	4	
PRIC	Pit Toilet - Lake	cinderblock/concrete/wood	4	
PRIC	Dock - Lake	wood/steel/concrete	2	
PRTT	Archery Range	covered shooting line	3	Need for concrete sidewalks from shooting shelter to targets
PRTT	Main Building	Concrete / Metal	4	
PRTT	Warehouse	Metal	4	
PSRT	Ottawa Rest Area- (Fairground Area)	Open Shelter	4	
PSRT	Ottawa Rest Area- (Fairground Area)	Open Shelter	4	

PSRT	Princeton Rest Area- Shelter	Open Shelter	4	
PSRT	Princeton Rest Area- Shelter	Open Shelter	4	
PSRT	Princeton Rest Area- Restroom	Romtec Vault Toilet	4	
PSRT	Richmond Rest Area- Restroom	Restroom with utilities	4	
PSRT	Richmond Rest Area-Shelter	Open Shelter	4	
PSRT	Garnett Depot Rest Area- Shelter	Open Shelter	4	
PSRT	Garnett Depot Rest Area- Shelter	Open Shelter	4	
PSRT	Welda Rest Area- Vault Toilet	Romtec Vault Toilet	4	
PSRT	Welda Rest Area- Shelter	Open Shelter	4	
PSRT	Colony Rest Area- Restroom	CXT Vault Toilet	4	
PSRT	Colony Rest Area-Shelter	Open Shelter	4	
PSRT	Colony Rest Area-Shelter	Open Shelter	4	
PSRT	Iola Rest Area-Shelter	Open Shelter	4	
PTSA		Restroom	4	Vault toilets are handicap accessible with gravel access
PTSB		Restroom	4	Boat ramp restrooms are handicap accessible with gravel road access
REG1	Hays - Region 1 Office	Wood Frame	1	Moved in-place in 1982 Needs Replacement
REG2	Topeka Region 2 Office	Wood frame	4	
RFFA		Restroom	4	Vault toilets are handicap accessible with paved access
ROSL	Group Shelter Area	Group Shelter	4	
ROSL	Boat Ramp Area	CXT Toilet	4	
ROSL	Group Shelter Area	Group Shelter	4	
SASL	East side	CXT vault toilet	4	
SCSP	Park Office	Wood	4	
SCSP	Elm Grove Shower	Concrete	4	
SCSP	Elm Grove Vault Toilet	Block / wood	3	Parking needs addressed (concrete pad)
SCSP	Shelter House Vault Toilet	Block / wood	4	
SCSP	Shelter House	Block / wood	4	
SCSP	Taos Cabin	wood / stucco	4	
SCSP	Navajo Cabin	wood / stucco	4	
SCSP	Big Bath House	concrete		being demolished / replaced with huffcutt

SCSP	Beach House	Block / stucco	4	
SCSP	Beach House Playground		4	
SCSP	Boat Ramp Vault Toilet	CXT	4	
SCSP	Beach Shower house	Block / wood	4	
SCSP	Timber Canyon Vault Toilet	concrete / brick	0	being replaced with huffcutt
SCSP	Bull Canyon Vault Toilet	concrete / wood	3	Parking needs addressed (concrete pad)
SCSP	Lakeside Vault Toilet	concrete	0	needs replaced
SCSP	Steele Home	limestone	0	
SCSP	South Toadstool	concrete	4	
SCSP	North Toadstool	concrete	4	
SDSL	CXT Vault Toilet	Toilet	4	
SDSL	CXT Vault Toilet	Toilet	4	
SHSP	Shower house	Concrete	4	
SHSP	Pit Toilet (6)	Concrete	4	
SHSP	Office	Wood	4	
SHSP	Self-Pay Station	Metal	4	
SKNC	SE Kansas Nature Center	Education Bldg.	4	City of Galena
SNSL	2 single and 1 double concrete restroom	CXT Bathroom	4	3 CXT public restrooms with concrete walkways and parking pads
SSWA	Office w/attached shop		3	Interior compliant just need new parking pad or concrete walk from existing pad.
TCRP	North Randolph Self pay Station	Metal and Concrete	3	Needs ADA parking and sidewalk
TCRP	North Randolph Camping Shelter #1	Wood Frame	3	Needs ADA parking and sidewalk
TCRP	North Randolph Camping Shelter #2	Concrete "toadstool"	3	Needs ADA parking and sidewalk
TCRP	North Randolph Camping Shelter #3	Concrete "toadstool"	3	Needs ADA parking and sidewalk
TCRP	North Randolph Camping Shelter #4	Concrete "toadstool"	3	Needs ADA parking and sidewalk
TCRP	South Randolph Self pay Station	Metal and Concrete	3	Needs ADA parking and sidewalk
TCRP	South Randolph Group Shelter	Wood Frame	3	Needs ADA parking and sidewalk
TCRP	South Randolph Shower Building	Concrete (CXT)	4	
TCRP	South Randolph vault toilet	Concrete (CXT)	3	Needs ADA parking
TCRP	Fancy Creek West Self-Pay Station	Metal and Concrete	4	
TCRP	Fancy Creek East Selfpay Station	Metal and Concrete	4	

TCRP	Fancy Creek Shooting Range	Wood and concrete	4	
TCRP	Fancy Creek, Hidden Loop vault toilet	Concrete (CXT)	3	Needs ADA parking
TCRP	Fancy Creek, Lakeside vault toilet	Concrete (CXT)	3	Needs ADA parking
TCRP	Fancy Creek Group Shelter	Wood Frame	3	Needs ADA parking and sidewalk
TCRP	Fancy Creek Camping Shelters x9	Concrete "toadstool"	3	Needs ADA parking and sidewalk
TCRP	Cedar Ridge Shower Building	Concrete (CXT)	4	
TCRP	Cedar Ridge Campground vault toilet	Concrete (CXT)	4	
TCRP	Cedar Ridge Group Shelter#22	Wood Frame	3	Needs ADA parking and sidewalk
TCRP	Cedar Ridge campground Selfpay station	Metal and Concrete	4	
TCRP	Cedar Ridge Campground vault toilet	Concrete (CXT)	4	Improve parking
TCRP	Cedar Ridge Marina vault toilet	Concrete (CXT)	4	Improve parking
TCRP	Cedar Ridge Cabins vault toilet	Concrete (CXT)	4	Improve parking
TCRP	Cedar Ridge Fish Cleaning Station	Metal and Concrete	3	Needs ADA parking and sidewalk
TCRP	Cedar Ridge Marina Selfpay Station	Wood Frame	3	Needs ADA parking
TCRP	Cedar Ridge Deer Hill Shelter #19	Concrete "toadstool"	3	Needs ADA parking and sidewalk
TCRP	Cedar Ridge Deer Hill Shelter #20	Concrete "toadstool"	3	Needs ADA parking and sidewalk
TCRP	Cedar Ridge Deer Hill Shelter #21	Concrete "toadstool"	3	Needs ADA parking and sidewalk
TCRP	Cedar Ridge Fox Run Shelter #23	Concrete "toadstool"	3	Needs ADA parking and sidewalk
TCRP	Cedar Ridge Fox Run Shelter #24	Concrete "toadstool"	3	Needs ADA parking and sidewalk
TCRP	Cedar Ridge Fox Run Shelter #25	Concrete "toadstool"	3	Needs ADA parking and sidewalk
TCRP	Cedar Ridge Nemaha Cabin	Wood	4	
TCRP	Cedar Ridge Pottawatomie Cabin	Wood	4	
TCRP	Cedar Ridge Riley Cabin	Wood	4	
TCRP	Cedar Ridge Shawnee Cabin	Wood	4	
TCRP	River Pond, Rocky Ford Shower Building	Concrete (CXT)	4	
TCRP	River Pond Shower Building #1	Concrete blocks	4	
TCRP	River Pond Bathroom Building #2	Concrete blocks	4	
TCRP	River Pond Shower Building #3	Concrete blocks	4	
TCRP	River Pond Shower Building #4	Concrete blocks	4	
TCRP	River Pond Cabin vault toilet	Concrete (CXT)	3	Needs ADA parking and sidewalk
TCRP	River Pond Archery Range	Wood Frame, concrete	4	

TCRP	River Pond Office Building	Metal frame	3	Needs improvement to sidewalk and sales counter
TCRP	River Pond Shelters #3-5 and 7	Concrete "toadstool"	3	Needs ADA parking and sidewalk
TCRP	River Pond Shelter #6	Wood Frame	4	
TCRP	River Pond Shelter #8	Concrete "toadstool"	4	
TCRP	River Pond Shelter #14-18	Concrete "toadstool"	3	Needs ADA parking and sidewalk
TCRP	River Pond ManKan Shelter	Wood Frame	3	Needs ADA parking
TCRP	River Pond Bob Fleming Shelter	Wood Frame	4	
TCRP	River Pond Fishing Cleaning Station	Metal frame	3	Improvement to walkway and parking
TCRP	River Pond Camp store and Laundry	Concrete "toadstool"	3	Needs ADA parking
TCRP	River Pond Cheyenne Cabin	Wood Frame	0	Structure is too small to retrofit to ADA
TCRP	River Pond Pawnee Cabin	Wood Frame	1	Structure is too small to retrofit to ADA
TCRP	River Pond Kanza Cabin	Wood Frame	0	Structure is too small to retrofit to ADA
TCRP	River Pond Osage Cabin	Wood Frame	0	Structure is too small to retrofit to ADA
TCRP	River Pond Kiowa Cabin	Wood Frame	4	
TCRP	River Pond Sioux Cabin	Wood Frame	4	
TCRP	River Pond Cherokee Cabin	Wood Frame	4	
TCRP	River Pond Tom's Treehouse playground	Rubber surface	4	
TCRP	River Pond campground Selfpay station	Wood Frame	4	
TCRP	River Pond office Selfpay station	Wood Frame	4	
TCRR	Office	Metal		
WEBP	Office/Northside Park	Stick Built	4	
WEBP	Blue-wing Bungalow Cabin/Northside Park	Stick Built	4	
WEBP	Pintail Cabin/Northside Park	Log	4	
WEBP	Shelters 1-26/Northside Park	Concrete/Wood	4	
WEBP	Vault Toilet/Lakeview	Pre-Cast	4	
WEBP	Double Mushroom/Lakeview	Concrete	4	
WEBP	Vault Toilet/Old Marina	Pre-Cast	4	
WEBP	Shower Bldg./Old Marina	Pre-Cast	4	
WEBP	Shower Bldg./Rock Point	Stick Built	4	
WEBR	Morel Boat Access Area	CXT Toilet	4	
WEBR	Stilling Basin Fishing Access	CXT Toilet	4	

WEBR	Stilling Basin Fishing Access	Angler Access Ramp and Piers	4	
WILP	Permit Office	wood	4	
WILP	Marina Bathroom	Concrete	4	
WILP	Big Bluestem Bathroom/Shower	Concrete	4	
WILP	Wheatgrass Bathroom/Shower	Wood/Concrete	3	
WILP	Hell Creek Boat Ramp Pit Toilet	Concrete	4	
WILP	Switchgrass Bathroom/Shower	Brick	3	
WILP	Kents Cabin	Wood	3	
WILP	Foxtail Cabin	Wood	3	
WILP	Pin Oak	Wood	4	
WILP	Sand Lily	Wood	4	
WILP	Tatanka Lodge	Wood	3	
WILP	Area Office	Wood	3	
WILP	Elm Bluff Cabin	Wood	2	
WILP	Elm Crest Cabin	Wood	2	
WILP	Otoe Boat Ramp Pit Toilet	Concrete	4	
WILP	Yarrow bathroom/shower	Wood/Brick	3	
WILP	Otoe Shop	Wood	3	
WILP	Elm Grove	Wood	4	
WILP	Elm Ridge	Wood	4	
WLSL	Wilson State Fishing Lake	Vault Toilet	1	South Vault
WLSL	Wilson State Fishing Lake	Vault Toilet	4	North Vault
WLSL	Wilson State Fishing Lake	Dock	4	South Fishing Dock
WOSL	Woodson State Fishing Lake	Vault Toilet	4	Single Vault, by boat ramp
WOSL	Woodson State Fishing Lake	Vault Toilet	4	Double Vault, East side of lake
WOSL	Woodson State Fishing Lake	Fishing Dock	4	Fishing Dock, By boat ramp
WSSL	Boat Dock		2	Existing ADA compliant dock was damaged due to ice buildup and needs to be repaired and a new sidewalk access poured. Hoping to complete these repairs this fiscal year.
WSSL	Restroom		4	

* Location Code Information:

Appendix A Truncates the letter “K” when indicating the Location Code.

Location Codes - All Facilities

KSTWD	Statewide
KREG1	Region I
KREG2	Region II
KREG3	Region III
KREG4	Region IV
KREG5	Region V
KATSL	Atchison State Fishing Lake
KBACL	Banner Creek Lake
KBASL	Barber State Fishing Lake
KBAPD	Barber Public Domain
KBEWA	Benedictine Bottoms WA
KBDWA	Berentz/Dick WA
KBBPR	Big Basin Prairie Preserve
KBGHR	Big Hill Reservoir & WA
KBKSL	Black Kettle State Lake
KBTWA	Bolton WA
KBNCL	Bone Creek Lake
KBBSL	Bourbon State Fishing Lake & WA
KBNWA	Binger WA
KBRSL	Brown State Fishing Lake & WA
KBRWA	Broun WA
KBROX	Browning Oxbow
KBUSL	Butler State Fishing Lake
KBZWA	Brzon Wildlife Area
KBWWA	Byron Walker WA
KCASL	Clark State Fishing Lake & WA
KCDBR	Cedar Bluff Reservoir & WA
KCDBP	Cedar Bluff State Park
KCSSL	Chase State Fishing Lake & WA
KCHNR	Cheney Reservoir & WA
KCHSP	Cheney State Park
KCHBW	Cheyenne Bottoms WA
KCMNG	Cimarron National Grasslands
KCLTR	Clinton Reservoir & WA
KCLTP	Clinton State Park
KCNWA	Concannon SFL & WA
KCOPR	Copan Reservoir & WA
KCFAA	Cottonwood Falls Access Area
KCGRR	Council Grove Reservoir & WA
KCLSL	Cowley State Fishing Lake
KCRSL	Crawford State Lake
KCRSP	Crawford State Park

KCRWA Crawford WA
 KCTSP Cross Timbers State Park (Toronto)
 KDBWA Dalbey Bottoms WA
 KDGSL Douglas State Fishing Lake & WA
 KDFWA Dove Flats WA
 KDCWA Duck Creek WA
 KEDPD Edwards County Public Domain
 KEDBR Edwardsville Boat Ramp
 KIKSP Eisenhower State Park
 KELDH El Dorado Habitat Center
 KELDR El Dorado Reservoir
 KELDP El Dorado State Park
 KELWA Elwood WA
 KEKCR Elk City Reservoir & WA
 KEKCP Elk City State Park
 KEUBR Eudora Boat Ramp
 KFLRR Fall River Reservoir
 KFLRP Fall River State Park
 KFARH Farlington Fish Hatchery
 KFISP Finney Sand Pits SFL
 KFISL Finney State Fishing Lake & WA
 KFOSL Ford County State Lake
 KFTRL Fort Riley
 KFWWA Francis Wachs WA
 KGTWA Garton WA
 KGESL Geary State Fishing Lake
 KGELR Glen Elder Reservoir & WA
 KGTIC Goodland Travel Information Center
 KGELP Glen Elder State Park
 KGDSL Goodman SFL & WA
 KGOPD Gove Public Domain
 KGPNC Great Plains Nature Center
 KGLWA Greeley WA
 KGNWA Green Wildlife Area
 KGNRT Green Recreation Trail
 KGRWA Griswold Wildlife Area
 KHAIN Hain Lake & WA
 KHMWA Hamilton Wildlife Area
 KHRWA Harmon Wildlife Area
 KHEPL Herron Playa
 KHILR Hillsdale Reservoir & WA
 KHILP Hillsdale State Park
 KHGWA Hodgeman Wildlife Area
 KHOWA Hollister Wildlife Area
 KISWA Isabel WA
 KJTWN Jamestown Wildlife Area
 KJFWA Jeffrey Energy Center WA
 KJWSL Jewell State Fishing Lake & WA
 KJRRM John Redmond Rearing Marsh
 KJRDR John Redmond Res/Otter Creek WA
 KSMWA Smoky Hills WA

KKNOR Kanopolis Reservoir
 KKANP Kanopolis State Park
 KKCRA Kansas River Access
 KKAWR Kaw Reservoir & WA
 KKDIT KDOT E&W Impoundment
 KKEWA Kepley WA
 KKMSL Kingman SFL & Byron Walker WA
 KKRSP Kaw River State Park
 KKRWA Kansas River WA
 KKWEC KS Wetland Ed Center (at CHBW)
 KKWSL Kiowa State Fishing Lake
 KKIRR Kirwin Reservoir & WA
 KLCGL LaCygne Lake
 KLEWA Lane Wildlife Area
 KLABR Lawrence Boat Ramp
 KLJSP Little Jerusalem State Park
 KLVSL Leavenworth State Fishing Lake
 KLBRA Little Blue River Area
 KLGWA Logan Wildlife Area
 KLOVR Lovewell Reservoir & WA
 KLOVP Lovewell State Park
 KLYSL Lyon State Fishing Lake & WA
 KMNBR Manhattan Boat Ramp
 KMDCW Marais des Cygnes WA
 KMARR Marion Reservoir & WA
 KMFVA Marysville Fishing Area
 KMAXR Maxwell Game Refuge
 KMPSL McPherson State Fishing Lake
 KMPWL McPherson Wetlands
 KMEFR Meade Fish Hatchery
 KMESL Meade State Fishing Lake & WA
 KMESP Meade State Park
 KMELR Melvern Reservoir & WA
 KMISL Miami State Fishing Lake
 KMCLA Middle Creek Lake Area
 KMILC Milford Conservation Ed. Center
 KMILH Milford Hatchery
 KMILR Milford Reservoir & WA
 KMILP Milford State Park
 KMLWA Mined Land Wildlife Area
 KMORA Missouri River Access
 KMGSL Montgomery SFL & WA
 KMRSP Mushroom State Park
 KNBOL Nebo Lake
 KNMWA Nemaha WA
 KNOSL Neosho State Fishing Lake & WA
 KNOWA Neosho Wildlife Area
 KNORR Norton Res/Almena Diversion WA
 KOGWA Ogden Wildlife Area
 KOSSL Osage State Fishing Lake
 KOWFA Osawatomie Fishing Access Area

KOTSLS Ottawa State Fishing Lake & WA
 KPERW Perry Reservoir & WA
 KPERP Perry State Park
 KPCWA Pillsbury Crossing WA
 KPOMR Pomona Reservoir
 KPOMP Pomona State Park
 KPTSA Pottawatomie SFL #1
 KPTSB Pottawatomie SFL #2
 KPRIC Prairie Center
 KPDSP Prairie Dog State Park
 KPSRT Prairie Spirit Rail Trail
 KPRBC Pratt Backwater Channels
 KPREC Pratt Conservation Ed. Center
 KPRFH Pratt Fish Hatchery
 KPRSH Pratt Sandhills WA
 KQNWR Quivira National Wildlife Refuge
 KRFFA Rocky Ford Fishing Area
 KROSL Rooks State Fishing Lake & WA
 KRUTL Rutlander WA
 KSFWA Saint Francis Wildlife Area
 KSASL Saline State Fishing Lake
 KSHSP Sand Hills State Park
 KSSWA Sandsage Bison Range & WA
 (Finney Game Refuge)
 KSCSL Scott State Lake & WA
 KSCSP Scott State Park
 KSMWA Smoky Hills WA (at KANR)
 KSNSL Shawnee State Fishing Lake
 KSNRP Shawnee SFL Rearing Pond
 KSDSL Sheridan State Fishing Lake & WA
 KSDWA Sheridan Wildlife Area
 KSHSL Sherman State Fishing Lake & WA
 KSCWL Slate Creek Wetland
 KSKNC Southeast Kansas Nature Center
 KSOWA Southfork Wildlife Area
 KSRWA Spring River Wildlife Area
 KSVPD Stevens Public Domain
 KTEXL Texas Lake Wildlife Area
 KTHWA Theodore Granville Barcus WA
 KTPBR Topeka Boat Ramp
 KTPFA Topeka Fishing Area
 KTORR Toronto Reservoir & WA
 KTCRR Tuttle Creek Reservoir & WA
 KTCRP Tuttle Creek State Park
 KVFBP Valley Falls Boat Ramp
 KVMBR Vermillion Boat Ramp
 KVRSL Vermillion State Fishing Lake
 KVGWA Vogel Wildlife Area
 KWSSL Washington SFL & WA
 KWEBR Webster Res & Woodston Dam WA
 KWEBP Webster State Park

KWTPL Wild Turkey Playa
KWILR Wilson Reservoir & WA
KWLSL Wilson State Fishing Lake
KWILP Wilson State Park
KWCPP Wolf Creek Power Plant
KWORP Woodson SFL Rearing Pond
KWOSL Woodson SFL & WA

Office Location Codes

CHT Chanute Regional Office
COBD Colby District Office
DCRO Dodge City Regional Office
ERSO Emporia Research Office
FRD Fall River District Office
HAY Hays Regional Office
THDQ Department Headquarters, Topeka
KCDO Kansas City District Office
MDC Mound City District Office
PRTT Pratt Operations Office
TOP Topeka Regional Office
WICT Wichita Regional Of

KDWPT ADA Transition Plan

Policy Statement

It is the policy of the Kansas Department of Wildlife, Parks & Tourism (KDWPT) to comply with the Americans with Disabilities Act (ADA), and its amendments. Individuals with disabilities are to have access to and the opportunities to participate in or receive benefits of any program, service, or activity of KDWPT. KDWPT is committed to identifying accessibility deficiencies and taking the steps to maintain compliance with the requirements of the ADA.



Chad Depperschmidt, ADA Coordinator

Kansas Department of Wildlife, Parks, & Tourism

12-9-17

Date